

TDH8P series



Product Segments

• Ergo Motion

Reimagine your workspace with the TDH8P, featuring a reinvigorated design intrinsic to the TDH8 and TDH8D series handsets. Available with a wide range of color options for the outer frame, equipped with a three-digit display and four memory buttons, there's no better way to personalize your desk. Compatible with the TWD1 Bluetooth adapter, users can easily control the desk height through TiMOTION's "STAND UP PLS" app.

General Features

Max. available buttons	6		
Color	Case: Black		
	Frame: Multiple color options		
Options	Metric or imperial display, back light		
Display	3-digit display shows the height of the desk		
Operational temperature range	+5°C~+45°C		
4 Memory positions			
Compatible with the TWD1 (Bluetooth adapter)*			
Front mounted desk installation			


Note

* With TWD1, it can control the desk height remotely via the "STAND UP PLS" app.


TDH8P series

Drawing

Standard Dimensions (mm)









TDH8P Ordering Key



TDH8P

Version: 20230503-D

Connector 1 = RJ 10P, 180° 6 = RJ 10P flat, 180°, for Ergo		7 = RJ 10P flat, 90°, for TC22	
		TC	
1 = Black			
1 = Silver: Pantone 877 C	2 = Black: Pantone 10399 C	4 = Gray: Pantone 8403 C	7 = Orange: Pantone 8922 C
1 = Without	2 = TiMOTION		
0 = Without	1 = With, white		
1 = Metric system (cm)	2 = Imperial system (inch)		
1 = Straight, 1000	2 = Straight, 2000		
0 – Without	1 = With		
	6 = RJ 10P flat, 180°, for Erg 1 = Black 1 = Silver: Pantone 877 C 1 = Without 0 = Without 1 = Metric system (cm)	6 = RJ 10P flat, 180°, for Ergo TC1 = Black1 = Silver: Pantone 877 C2 = Black: Pantone 10399 C1 = Without2 = TiMOTION0 = Without1 = With, white1 = Metric system (cm)2 = Imperial system (inch)1 = Straight, 10002 = Straight, 2000	6 = RJ 10P flat, 180°, for Ergo TC1 = Black1 = Silver: Pantone 877 C2 = Black: Pantone 10399 C4 = Gray: Pantone 8403 C1 = Without2 = TiMOTION0 = Without1 = With, white1 = Metric system (cm)2 = Imperial system (inch)1 = Straight, 10002 = Straight, 2000

Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.