

TEK17_{series}

Single Column Desk Frame

General Features

Max. load Up to 70kg*

Constant speed 3-stage column: Up to 40mm/s

2-stage column: Up to 31mm/s

Weight of package 27kg* < 0.1W Standby power

USB Chargers, TFA1/3 Accessories (optional)

Anti-Collision Sensor, TCS1

Wireless Chargers, TWC

Multiple column and control options

High strength and stability - Steel construction







Color (RAL Classic)



RAL9006



RAL9016



RAL9022



RAL7021




RAL7024

^{*}It varies upon the selection of components.


^{*}For more color options, please consult your sales representative.

TEK17 Series


Dimension







• 2-Stage





Frame & Work Surface

| Frame dimensions (mm) | Recommended work surface dimensions (mm) | | |
|-----------------------|--|------------|--|
| Length*Width (mm) | Length (mm) | Width (mm) | |
| 450*380 | 500~800 | 450~600 | |

Hight Range

| Column type | Frame height (mm) | Stroke (mm) |
|-------------|-------------------|-------------|
| 3-Stage | 630~1280 | 650 |
| 3-Stage (M) | 600~1260 | 660 |
| 3-Stage (S) | 560~1220 | 660 |
| 2-Stage | 680~1180 | 500 |

TEK17 Series

Top Plate





TL Model

• 3-Stage







TL4 Square 70 x 70 mm



TL10 Rectangular 80 x 60 mm



TL4S Square 70 x 70 mm



TL31S Rectangular 90 x 60 mm



TL33S Rectangular 83 x 53 mm

• 2-Stage



Square 70 x 70 mm



TL15 Rectangular 80 x 60 mm



TL13S Square 70 x 70 mm



TL30S Rectangular 90 x 60 mm



TL32S Rectangular 83 x 53 mm



Desk Type







Wall-attached



Foot







Style B





Hand Control





Hand Control



T = TDH9P



U = TDH27P

Accessories (optional)



TCS1

TCS1 is a collision sensor based on t-touch technology which does not require any additional hardware upgrades.



TFA1

A charger with 2 USB ports. Can be mounted on the table top.



TFA3

A charger with 2 USB ports. Can be mounted to the desk front side.



TWC

Designed for wireless charging of mobile devices. Can be mounted on the table top.



TEK17 Ordering Key

TL Model

0004 = TL4

0013 = TL13

004S = TL4S



Version: 20210830-G

TEK17

| | | _ |
|--|--|---|
| | | _ |
| | | |
| | | _ |
| | | _ |
| | | |
| | | |

| See page 4 | 0010 = TL10 | 0015 = TL15 | 013S = TL13S | 031S = TL31S | 033S = TL33S | |
|-----------------|--|-------------------------|---------------------|--------------|---|--|
| Foot (mm) | 0 = Without | | | | 2 = Style B, only competible with TL30S and TL31S | |
| See page 5 | 1 = Style A, thickne | ss: 5, F1 & F2: 750, St | tandard | | | |
| Color | 1 = Black (RAL 9005 |) | 3 = White (RAL 90 | 16) | 6 = Matte Black (RAL7021) | |
| | 2 = Grey (RAL 9006) | | 4 = Special grey (R | AL 9022) | 7 = Graphite grey (RAL7024) | |
| TC Model | 0 = Without | 1 = TC11 | 2 = TC11P | | | |
| Hand Control | See page 6-7 | | | | | |
| Top Plate (mm) | 1 = Style A, thicknes | ss 3 | 2 = Style B | | | |
| See page 3 | | | | | | |
| Desk Type | 0 = Freestanding | 1 = Wall-attached | I | | | |
| See page 5 | | | | | | |
| Charger Model | 0 = Without | 1 = TFA3 | | | | |
| Assembly Manual | 0 = Without | | | | 3 = Chinese, No logo, Black / White printing | |
| | C = Chinese, TiMOT | ION logo, Black / Whi | te printing | | 4 = English, No logo, Black / White printing | |
| | E = English, TiMOTION logo, Black / White printing | | | | 5 = Chinese, No logo, colour printing | |
| | 1 = Chinese, TiMOTION logo, colour printing | | | | 6 = English, No logo, colour printing | |
| | 2 = English, TiMOTI | ON logo, colour printir | ng | | | |

030S = TL30S

032S = TL32S

Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.