


TFS5 series



Product Segments

Care Motion

TFS5 is a foot control designed for hospital beds, surgery tables, and exam chair applications. It can be used with cables or wireless controls.


General Features

| Max. available buttons | 4 | |
|-------------------------------|------------------------------------|--|
| Color | Black, grey, white upper case with | |
| | grey keypad | |
| IP rating | IP66 | |
| Options | Back up battery | |
| Wireless support | Available | |
| Operational temperature range | +5°C~+45°C | |
| | | |

TFS5 Series

Drawing

Standard Dimensions (mm)





TFS5 Ordering Key

TFS5

1 T*i* MOTION

Version: 20230503-I

| | | | VEISION. 20230303- |
|-------------------------|--|-----------------------------------|--|
| MCU | 0 = Without | | |
| Control Box Type | 0 = Without MCU | 1 = With MCU | D = Direct cut, with TRF |
| Button Definition | 41 = 41 | | |
| Wireless | 0 = Without (cable) | 3 = 2.4 (GHz) | |
| Plug Type | 0 = Without (Wireless) 1 = DIN 8pin | 2 = RJ 10pin 3 = Long Din 5pin | 4 = Flat RJ 10pin |
| Plug Angle | 0 = 90° | 1 = 180° | 2 = Without |
| Cable Length (mm) | 0 = Without (Wireless) | 3 = Straight, 1500 | |
| Built-in Backup Battery | 0 = Without (Cable) 1 = With battery slot, without battery (Wireless) | | 2 = With battery slot, 1.5V AAA dry cell *2 pcs (Wireless) |
| Color | 1 = Black | 2 = Pantone 428C | 3 = Standard: white upper case, Pantone 428C keypad |
| IP Rating | 0 = Without | 1 = IP54 | 2 = IP66 |
| | | | |

Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.