

# TP2P

series



## Product Segments


- **Comfort Motion**

## General Features

Transformer type	SMPS
Input voltage	100~240V AC
Max. output	29V DC, 6.25A
Plug support	EU, USA, AUS, UK, JPN
Color	Black or grey
Options	Backup battery
Certificate	UL, ACMA, PSE
Operational temperature range	+5°C~+45°C

**Drawing**

Standard Dimensions  
(mm)



---

<b>Plug</b>	1 = EU 2 = USA	3 = AUS 4 = UK	5 = JPN
-------------	-------------------	-------------------	---------

---

<b>Color</b>	1 = Black	2 = Pantone428C
--------------	-----------	-----------------

---

<b>Cable Length (mm)</b>	4 = AC cable: straight, 1500; DC cable: straight, 200, DIN 5P Female 5 = AC cable: straight, 1500; DC cable: straight, 200, 01P Female 6 = AC cable: straight, 1500; DC cable: straight, 200 + extension 800, DIN 5P Female 7 = AC cable: straight, 1500; DC cable: straight, 200 + extension 800, 01P Female		
--------------------------	--	--	--

---

### Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.